


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

280.3479
M34P
p.2



POULTRY

Slaughtered Under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
January 1962

March 2, 1962

Canned and processed poultry - Poultry inspected for canning and other processed food in January 1962 totaled 39,359,000 pounds ready-to-cook weight, compared with 38,064,000 pounds in January 1961, an increase of 3 percent. The quantity used in January 1962 consisted of 5,736,000 pounds of young chickens, 20,004,000 pounds of mature chickens, 9,993,000 pounds of turkeys, and 3,626,000 pounds of other poultry. NOTE: Beginning with this issue, reported quantities inspected for canning and other processed foods exclude raw product cut up and packaged.

Inspected poultry - The number of head (chickens, turkeys, and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during January 1962 amounted to 137,204,000, compared with 132,595,000 head the same month a year earlier. The number of head and pounds (live weight) inspected by classes were: young chickens, 123,388,000 head, 424,060,000 pounds; mature chickens, 11,325,000 head, 51,826,000 pounds; fryer-roaster turkeys, 852,000 head, 7,382,000 pounds; young turkeys, 1,392,000 head, 33,894,000 pounds; old turkeys, 76,000 head, 1,473,000 pounds; and ducks, 171,000 head, 1,022,000 pounds.

Certified poultry - The quantity of poultry certified as wholesome during January 1962 totaled 375,270,000 pounds ready-to-cook weight, of which 302,442,000 pounds were iced and 72,828,000 pounds frozen. Total pounds certified by class of poultry were as follows: young chickens, 303,980,000 pounds; mature chickens, 36,553,000 pounds; fryer-roaster turkeys, 5,765,000 pounds; young turkeys, 26,999,000 pounds; old turkeys, 1,173,000 pounds; ducks, 723,000 pounds; and other poultry, 77,000 pounds.

Ante-mortem condemnations amounted to 1,467,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of the quantities inspected: young chickens, 0.27 percent; mature chickens, 0.39 percent; fryer-roaster turkeys, 0.54 percent; young turkeys, 0.20 percent; old turkeys, 0.19 percent; ducks, 0.06 percent; and other poultry, 0.36 percent.

Post-mortem condemnations totaled 13,827,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of the quantities inspected: young chickens, 3.09 percent; mature chickens, 2.76 percent; fryer-roaster turkeys, 1.77 percent; young turkeys, 2.08 percent; old turkeys, 1.59 percent; ducks, 1.20 percent; and other poultry, 0.80 percent. In January 1961, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.28 percent; mature chickens, 2.51 percent; fryer-roaster turkeys, 1.33 percent; young turkeys, 1.09 percent; old turkeys, 1.97 percent; and ducks, 2.35 percent.

Poultry: Slaughtered under Federal Inspection, January 1962 with comparisons

Class	Number inspected		Pounds inspected (live weight)		Average live weight	
	December		December		December	
	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	Thou.	1,000 pounds	Pounds	Pounds
Young chickens	108,725	119,728	123,388	411,730	3.44	3.44
Mature chickens	11,400	10,188	11,325	47,060	4.62	4.58
Total chickens	120,125	129,916	134,713	458,790	3.53	3.53
Fryer-roasters	1,467	981	852	8,701	8.87	8.66
Young turkeys	7,798	1,362	1,392	33,192	24.37	24.35
Old turkeys	77	93	76	1,866	20.06	19.38
Total turkeys	9,342	2,436	2,320	43,759	17.96	18.43
Ducks	387	243	171	1,513	6.23	5.98
Other poultry	---	---	---	140	---	---
Total poultry	---	---	---	519,797	---	---

Pounds certified (ready-to-cook weights)

Class	December 1961		January 1961		January 1962	
	Iced		Iced		Iced	
	1,000 pounds	Frozen	1,000 pounds	Frozen	1,000 pounds	Frozen
	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	241,070	34,779	275,849	24,132	272,383	31,597
Mature chickens	24,670	12,301	36,971	10,840	25,695	10,858
Total chickens	265,740	47,080	312,820	34,972	298,078	42,455
Fryer-roasters	2,108	7,766	9,874	5,708	681	5,084
Young turkeys	22,155	104,683	126,838	23,273	3,432	23,567
Old turkeys	452	846	1,298	1,356	108	1,065
Total turkeys	24,715	113,295	138,010	30,337	4,221	29,716
Ducks	221	1,452	1,673	941	141	582
Other poultry	31	250	281	64	2	75
Total poultry	290,707	162,077	452,784	66,314	302,442	72,828
						375,270

Poultry: Condemnations of poultry slaughtered under Federal Inspection, January 1962 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Percent 1/		Pounds (N.Y. dressed wt.)		Percent 2/	
	January	1962	January	1962	January	1962	January	1962
Young chickens	1,000	1,000			1,000	1,000		
Mature chickens	1,000	1,155	0.24	0.27	8,421	11,763	2.28	3.09
Total chickens	1,171	200	.36	.39	1,060	1,282	2.51	2.76
	1,171	1,355	.26	.28	9,481	13,045	2.30	3.06
Fryer-roasters	22	40	.26	.54	104	117	1.33	1.77
Young turkeys	39	67	.12	.20	324	632	1.09	2.08
Old turkeys	4	3	.18	.19	33	21	1.97	1.59
Total turkeys	65	110	.15	.26	461	770	1.17	2.01
Ducks	2	1	.15	.06	32	11	2.35	1.20
Other poultry 3/	---	1	.03	.36	---	1	---	.80
Total	1,238	1,467	.25	.28	9,974	13,827	2.20	2.96

Poultry: Inspected for canning and other processed foods 4/, January 1962 with comparisons

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	December		January		December		January	
	1961	1962	1961	1962	1961	1962	1961	1962
Young chickens	1,000	1,000			1,000	1,000		
Mature chickens	5,974	6,162			6	3	10	10
Turkeys	17,399	20,237			14	30	15	15
	10,978	9,085			1	5	3	3
Other poultry 5/	3,032	2,580			1	2	3	3
Total	37,383	38,064			22	40	31	31

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds. 4/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.) 5/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal inspection, by regions and selected States, January 1961 and 1962

Region and State	Number inspected	Pounds				Average live weight				Total pounds : certified				Post-mortem condemnations			
		: 1961		: 1962		: 1961		: 1962		: 1961		: 1962		: 1961		: 1962	
		Thou.	Thou.	Thou.	Thou.	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Percent	Percent
N. Atl.	12,507	12,707	47,606	49,347	3.81	3.88	33,968	35,005	1,063	1,201	2.49	2.71					
E. N. Cent.	4,223	3,205	15,400	11,286	3.65	3.52	11,120	8,166	211	172	1.53	1.70					
W. N. Cent.	3,706	3,839	12,426	12,837	3.35	3.34	8,892	9,011	299	440	2.68	3.83					
S. Atl.	51,656	53,812	178,984	185,955	3.46	3.46	130,183	134,507	3,457	4,427	2.15	2.65					
S. Cent.	43,613	46,489	142,490	152,862	3.27	3.29	103,228	109,028	3,054	5,115	2.39	3.73					
West	4,023	3,336	14,824	11,773	3.68	3.53	10,375	8,263	337	408	2.53	3.87					
U. S.	119,728	123,388	411,730	424,060	3.44	3.44	297,766	303,980	8,421	11,763	2.28	3.09					
Maine	4,524	5,306	17,521	20,623	3.87	3.89	12,846	14,962	444	628	2.83	3.39					
Mass.	492	510	2,026	2,160	4.12	4.24	1,393	1,498	63	84	3.49	4.34					
Conn.	1,433	810	4,699	3,052	3.28	3.77	3,065	2,045	104	79	2.47	2.86					
N. J.	472	28	205	132	4.92	4.72	90	32	3	1	1.58	.57					
Pa.	5,023	5,248	19,351	20,167	3.85	3.84	13,985	14,356	369	369	2.13	2.04					
Ohio	1,436	902	5,334	3,233	3.71	3.58	3,844	2,335	72	58	1.51	2.03					
Ind.	1,290	1,245	4,371	4,139	3.39	3.32	3,181	3,018	59	53	1.52	1.43					
Ill.-Mich. 3/	198	153	995	601	5.03	3.93	693	441	9	13	1.02	2.45					
Wis.	1,299	905	4,700	3,313	3.62	3.66	3,402	2,372	71	48	1.70	1.63					
Minn.	249	795	885	2,804	3.56	3.53	666	2,039	8	114	1.02	4.52					
Iowa	85	60	455	274	5.38	4.53	344	200	3	4	.71	1.87					
Mo.	3,256	2,964	10,638	9,689	3.27	3.27	7,548	6,719	278	322	2.91	3.71					
Del.	5,136	6,619	19,844	25,121	3.86	3.80	14,512	17,695	441	499	2.47	2.21					
Md.	7,726	8,059	29,038	30,213	3.76	3.75	20,983	21,616	415	475	1.59	1.75					
Va.	3,770	4,223	11,491	12,609	3.05	2.99	8,232	8,956	280	225	2.72	1.98					
N. C.	12,372	12,596	42,213	43,523	3.41	3.46	30,813	31,978	588	907	1.55	2.32					
S. C.	708	1,517	2,380	5,087	3.36	3.35	1,708	3,563	34	227	1.63	4.97					
Ga.	20,934	20,235	70,609	67,584	3.37	3.34	51,469	49,361	1,621	2,067	2.55	3.41					
Ky.	1,722	1,250	5,945	4,300	3.45	3.44	4,175	2,945	160	137	2.99	3.57					
Tenn.	3,870	3,794	13,042	12,898	3.37	3.40	9,477	9,204	287	500	2.45	4.32					
Ala.	10,563	11,170	35,363	37,388	3.35	3.35	26,170	27,192	880	1,584	2.77	4.72					
Miss.	7,869	8,198	26,006	26,702	3.30	3.26	19,168	19,338	652	844	2.79	3.52					
Ark.	12,984	15,249	40,822	49,375	3.14	3.24	28,883	34,506	731	1,567	1.99	3.53					
La.-Okla. 3/	1,458	1,549	4,768	5,116	3.27	3.30	3,482	3,655	72	123	1.68	2.68					
Texas	5,147	5,279	16,544	17,083	3.21	3.24	11,873	12,188	272	360	1.83	2.35					
Idaho	337	362	1,065	1,227	3.16	3.39	769	893	18	24	1.95	2.20					
Utah 4/	90	---	317	---	3.53	---	233	---	4	---	1.48	---					
Wash.	378	496	1,259	1,715	3.33	3.45	864	1,194	34	35	3.02	2.25					
Oreg. 4/	406	---	1,356	---	3.34	---	951	---	21	---	1.70	---					
Calif.	2,812	2,398	10,827	8,564	3.85	3.57	7,558	5,986	260	343	2.67	4.47					

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, January 1962

Region and State	Tuber- culosis:	Leu- cosis:	Septi- cemia:	Airsac- culitis:	Inflam- matory:	Tumors:	Para- sites:	Bruises:	Cadaver	Contam- ination:	Over- scaled:	Decom- position:	Other:	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	46,463	152,390	71,703	20,604	856	21	3,250	5,523	8,692	829	174	743	311,278
E. N. Cent.	---	1,828	19,113	28,247	3,694	341	65	1,679	2,774	2,101	327	47	1,174	61,392
W. N. Cent.	5	2,588	47,534	75,499	16,639	269	12	1,437	6,086	6,017	336	---	100	156,522
S. Atl.	---	77,103	172,784	754,164	49,024	3,164	51	7,615	30,522	41,404	5,188	1,178	300,789	1,442,986
S. Cent.	2	37,548	225,151	1,013,979	47,486	3,365	11	11,867	40,608	41,683	3,223	1,310	209,355	1,635,588
West	---	1,920	34,431	69,236	8,267	631	3	1,384	2,569	5,213	478	8	16,889	141,029
U. S.	9	167,480	651,403	2,012,828	145,714	8,626	163	27,232	88,082	105,110	10,381	2,717	529,050	3,748,795
Maine	---	25,765	81,343	19,633	8,073	408	6	2,087	2,504	4,776	357	---	531	145,483
Mass.	---	1,494	12,918	2,833	2,578	14	---	170	911	340	64	---	6	21,328
Conn.	---	5,099	6,693	6,999	1,841	80	8	132	317	1,375	23	16	2	22,585
N. J.	---	22	64	75	20	1	---	5	---	---	---	---	---	187
Pa.	---	12,053	48,781	36,427	7,249	301	5	713	1,571	1,985	366	156	199	109,806
Ohio	---	942	9,814	8,819	1,222	81	1	243	532	801	17	---	55	22,527
Ind.	2	580	4,727	9,025	1,317	120	62	493	845	639	244	47	48	18,149
Ill.-Mich.	---	141	1,175	1,503	449	24	1	83	357	53	55	---	5	3,846
Wis.	---	165	3,397	8,900	706	116	1	860	1,040	608	11	---	1,066	16,870
Minn.	1	209	9,468	20,077	728	68	---	276	1,005	849	31	---	30	32,742
Iowa	4	52	450	273	25	2	---	7	23	249	1	---	---	1,086
Mo.	---	2,322	37,581	55,069	15,876	197	12	1,140	5,057	4,907	304	---	70	122,535
Del.	---	23,869	48,821	58,148	17,539	555	3	559	2,626	1,915	323	---	364	154,722
Md.	---	18,020	50,617	48,930	13,758	784	17	740	2,902	3,955	1,335	---	10,462	151,520
Va.	---	9,888	35,826	29,908	8,177	476	3	458	1,073	1,409	249	7	513	87,987
N. C.	---	8,111	18,555	135,493	6,206	694	10	2,958	8,199	9,225	1,429	100	108,652	299,632
S. C.	---	319	882	43,534	381	51	2	383	2,147	2,602	94	332	17,519	68,246
Ga.	---	16,169	17,679	432,591	2,858	584	15	2,452	13,135	22,079	1,756	735	159,974	670,027
Ky.	2	936	9,476	32,559	2,950	74	---	2,001	1,655	1,289	361	---	21	51,364
Tenn.	---	2,541	14,413	121,200	2,300	86	---	641	3,768	2,873	41	96	28,758	176,717
Ala.	---	4,293	9,803	373,143	1,218	544	1	935	6,893	9,032	402	145	104,718	511,127
Miss.	---	4,758	12,210	195,387	963	315	---	1,980	6,980	9,694	1,328	972	45,673	280,060
Ark.	---	14,802	135,817	224,985	26,056	934	---	3,574	15,321	11,775	777	20	29,354	462,915
La.-Okla.	---	1,680	11,820	16,398	2,835	301	2	755	1,342	1,459	56	6	23	36,677
Texas	---	9,018	31,612	50,307	11,164	1,111	8	1,981	4,649	5,561	438	71	808	116,728
Idaho	---	31	2,344	4,408	98	23	---	179	328	256	60	---	771	8,498
Wash.	---	245	6,175	3,498	346	12	---	89	107	208	13	1	2,268	12,962
Calif.	---	1,509	25,241	61,220	7,667	570	3	1,088	1,943	4,686	397	7	12,786	117,117

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal inspection, by regions and selected States, January 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	1961 : 1962		1961 : 1962		1961 : 1962		1961 : 1962		1961 : 1962		1961 : 1962	
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	pounds	Percent	Percent
N.Atl.	2,005	1,908	10,040	9,760	5.01	5.12	1,000	1,000	1,000	1,000	1.63	1.63
E.N.Cent.	1,840	1,690	7,828	7,278	4.25	4.31	5,786	5,826	146	143	2.52	2.52
W.N.Cent.	1,794	1,984	7,750	8,394	4.32	4.23	5,343	5,636	155	164	3.39	3.39
S.Atl.	2,000	2,737	10,104	12,735	5.05	4.65	7,117	9,015	218	280	2.45	2.45
S.Cent.	1,353	1,857	6,689	8,741	4.94	4.71	4,333	6,033	181	297	3.79	3.79
West.	1,196	1,149	4,649	4,918	3.89	4.28	3,646	3,291	115	144	2.76	2.76
U.S.	10,188	11,325	47,060	51,826	4.62	4.58	32,966	36,553	1,060	1,282	2.51	2.76
Maine	263	229	1,691	1,383	6.43	6.04	1,220	1,007	34	32	2.24	2.55
Conn.	174	118	1,084	732	6.23	6.22	721	510	12	12	1.22	1.80
N.Y.	166	208	831	936	5.01	4.50	613	695	8	10	1.07	1.25
N.J.	912	651	3,729	2,622	4.09	4.03	2,307	1,634	53	33	1.57	1.41
Pa.	268	319	1,337	1,803	4.99	5.66	934	1,278	18	18	1.51	1.12
Ohio	498	464	2,141	1,990	4.30	4.29	1,529	1,457	49	40	2.58	2.29
Ind.	509	590	2,265	2,599	4.45	4.41	1,245	1,856	31	57	1.54	2.47
Ill.	618	492	2,501	1,992	4.02	4.05	2,288	1,805	59	51	2.64	2.90
Mich.	72	27	313	115	4.32	4.32	207	67	4	3	1.44	2.06
Wis.	143	117	608	582	4.25	4.96	517	641	12	13	2.24	2.50
Minn.	632	599	2,600	2,494	4.11	4.16	1,813	1,633	121	103	5.18	4.63
Iowa	184	774	774	753	4.21	4.11	543	532	18	16	2.50	2.34
Mo.	621	747	2,860	3,296	4.61	4.41	1,984	2,257	53	67	2.07	2.29
Nebr.	288	431	1,200	1,730	4.17	4.01	786	1,136	49	65	4.57	4.17
Kans. 3/	61	---	283	---	4.62	---	196	---	3	---	1.55	---
Del.	8	15	55	94	6.76	6.25	39	66	1	3	2.43	3.70
Md.	373	356	1,491	1,440	3.99	4.04	1,044	999	36	47	2.67	3.64
Va.	150	239	761	1,217	5.06	5.10	543	853	18	21	2.65	1.99
N.C.	677	1,172	3,642	5,297	5.38	4.52	2,552	3,784	63	90	1.94	1.88
S.C.	31	43	220	244	7.06	5.68	159	174	5	8	2.10	3.63
Ga.	646	772	3,505	3,891	5.42	5.04	2,463	2,766	77	97	2.77	2.77
Ky.	51	156	200	657	3.93	4.21	135	461	4	15	2.26	2.54
Tenn.	271	246	1,662	1,317	6.13	5.35	842	917	24	31	1.63	2.65
Ala.	266	439	1,250	1,877	4.71	4.27	912	1,306	39	65	3.50	3.90
Miss.	111	124	435	705	3.94	5.68	312	503	9	19	2.07	2.94
Ark.	171	202	1,019	1,272	5.96	6.30	696	871	23	46	2.46	4.03
La.-Okla. 4/	133	259	613	1,086	4.61	4.19	416	744	29	48	5.28	4.93
Texas	350	431	1,510	1,827	4.31	4.23	1,020	1,231	53	73	3.89	4.41
Idaho	16	10	70	46	4.50	4.56	49	31	1	2	1.79	4.10
Utah	48	47	181	165	3.77	3.53	129	114	4	4	2.67	1.30
Wash.	92	123	376	510	4.09	4.16	250	328	8	10	2.29	2.16
Oreg. 3/	71	---	299	---	4.20	---	214	---	6	---	2.51	---
Calif.	969	925	3,723	4,018	3.84	4.35	3,004	2,687	96	125	2.89	3.46

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, January 1962

Region and State	Tuber- culicosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver- inflation	Contam- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	62	3,869	14,297	70	7,623	3,760	13	342	667	1,626	149	74	32,618
E.N.Cent.	4,638	5,297	17,009	135	4,663	4,968	103	589	2,686	2,700	139	50	45,124
W.N.Cent.	10,866	4,245	28,273	36	6,598	4,408	1,198	1,076	1,590	2,971	441	23	70,484
S.Atl.	41	3,171	18,103	2,075	6,406	2,516	21	817	1,937	3,596	449	11	73,104
S.Cent.	19	9,143	32,146	632	10,967	2,873	110	622	2,043	8,362	277	37	83,877
West.	2	1,650	18,355	296	6,618	5,819	206	838	901	1,498	83	64	41,512
U.S.	15,628	27,375	128,183	3,244	42,875	24,344	1,611	4,284	9,824	20,753	1,538	251	66,809
346,719													
Maine	1	492	3,425	1	1,494	188	---	70	39	511	13	---	6,303
Conn.	---	265	923	2	1,089	199	1	9	3	54	---	---	2,545
N.Y.	6	477	1,481	5	526	246	---	38	172	94	23	---	3,122
N.J.	47	953	4,230	29	1,369	1,633	---	69	190	506	73	5	9,108
Pa.	8	571	2,114	22	814	321	10	60	55	203	3	---	4,186
Ohio	694	1,665	4,092	3	2,191	1,383	34	146	637	580	17	---	11,554
Ind.	1,254	2,053	6,277	54	536	2,525	7	162	716	599	49	16	15,456
Ill.	2,388	1,409	4,705	12	1,732	707	61	247	1,219	1,234	69	24	14,612
Mich.	1	22	223	47	5	109	1	2	27	33	2	5	478
Wis.	301	148	1,712	19	199	244	---	32	87	254	2	5	3,024
Minn.	2,685	629	10,047	3	3,000	2,774	102	351	655	1,640	305	10	29,130
Iowa	1,467	575	2,042	7	350	142	76	79	67	147	3	---	4,989
Mo.	376	1,426	7,972	19	1,962	850	519	465	688	670	92	---	16,632
Nebr.	6,141	1,556	7,865	1	1,077	606	453	164	144	459	41	13	18,759
Del.	---	233	277	3	35	20	---	2	6	4	---	---	580
Md.	41	1,235	5,312	131	2,696	750	---	492	470	344	248	---	11,957
Va.	---	336	3,201	10	1,525	358	---	5	83	134	19	---	5,672
N.C.	---	1,101	3,531	1,283	1,547	526	---	169	589	957	73	6	23,877
S.C.	---	12	94	---	43	27	---	14	65	85	---	---	1,411
Ga.	---	217	1,746	648	557	776	---	126	659	1,823	84	5	24,150
Ky.	9	111	2,330	---	1,344	478	---	18	21	322	24	---	4,657
Tenn.	---	426	4,562	23	514	274	8	63	125	646	30	4	7,312
Ala.	---	192	1,984	340	320	851	---	147	571	2,488	41	24	20,486
Miss.	---	42	768	16	603	106	---	59	197	498	124	3	4,435
Ark.	1	1,030	5,569	133	1,129	245	12	85	256	1,216	2	---	9,732
La.-Okla. 1/	9	2,050	8,303	8	1,738	274	87	98	340	1,062	19	3	14,154
Texas	---	5,292	8,630	112	5,319	645	3	152	533	2,370	37	3	23,101
Idaho	---	16	300	40	18	33	---	4	2	26	---	---	468
Utah	2	28	265	1	70	37	---	37	14	2	---	---	512
Wash.	---	111	1,173	1	445	203	---	22	19	200	2	---	3,118
Calif.	---	1,371	16,389	251	5,695	5,509	206	772	856	1,212	80	64	36,260

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal inspection, by regions and selected States, January 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Post-mortem condemnations	
		(live weight)		inspected 1/		(Ready-to-cook wt.)		Pounds (NYD)	
		1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
								Percent	Percent
N.Atl.	86	1,779	2,028	20.69	27.78	1,417	1,651	8	10
E.N.Cent.	119	2,085	1,431	17.52	17.24	1,646	1,138	18	24
W.N.Cent.	385	9,047	2,182	23.50	18.18	7,274	1,724	109	50
S.Atl.	95	2,042	3,267	21.49	22.07	1,654	2,623	20	31
S.Cent.	226	6,149	4,326	27.21	24.17	4,869	3,391	62	95
West.	451	12,090	20,660	26.81	26.19	9,866	16,472	107	422
U.S.	1,362	33,192	33,894	24.37	24.35	26,726	26,999	324	632
Pa.	71	1,631	1,883	23.14	27.90	1,312	1,544	7	9
Ohio	68	1,065	448	15.71	16.05	821	358	9	7
Ind.	29	572	257	19.43	20.59	466	203	5	8
Ill.-Mich. 3/	6	147	218	24.50	21.80	117	176	1	2
Wis.	16	301	508	18.44	15.46	242	401	3	7
Minn.	94	1,740	827	18.48	15.04	1,418	644	13	26
Iowa	184	4,690	572	25.53	18.59	3,748	449	66	10
Mo.	46	1,136	235	24.70	23.50	925	192	11	3
Nebr.	32	888	456	27.80	24.44	713	367	13	10
Kans. 4/	29	593	---	20.45	---	470	---	6	---
Va.	17	184	238	10.81	24.15	126	176	14	2
N.C.	55	1,386	2,325	25.22	23.15	1,142	1,880	4	24
Ga.	8	174	365	22.55	19.56	147	293	1	4
Ky. 5/	10	203	402	19.62	20.32	161	301	---	4
Ark.	46	1,307	313	28.27	24.54	1,025	239	13	6
Okla.	56	1,489	706	26.63	23.31	1,185	556	17	24
Texas	104	2,869	2,815	27.65	24.84	2,284	2,223	30	61
Utah	47	1,265	802	27.00	19.71	1,024	644	10	6
Wash. 2/	5	136	30	25.46	23.95	109	21	1	---
Oreg. 4/	5	101	---	20.83	---	76	---	5	---
Calif.	373	10,041	19,340	26.95	26.74	8,208	15,414	87	408

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

5/ Dashes mean less than 500 pounds.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, January 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver inactivation	Contam- ination	Over- scald	Decom- position	Other	Total
No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	---	---	207	16	108	1	---	13	16	14	---	---	---	375
E.N.Cent.	---	6	589	310	116	---	---	12	109	47	12	---	58	1,259
W.N.Cent.	---	4	811	713	113	1	---	84	53	75	22	---	965	2,841
S.Atl.	---	28	436	70	579	5	---	17	25	38	2	---	333	1,533
S.Cent.	---	68	2,577	1,065	663	8	---	41	25	48	24	67	85	4,671
West.	---	26	5,006	6,004	3,812	55	2	174	117	229	16	3	2,645	18,089
U.S.	---	132	9,626	8,178	5,391	70	2	341	345	451	76	70	4,086	28,768
Pa.	---	---	196	16	54	1	---	7	14	11	---	---	---	299
Ohio	---	4	203	24	59	---	---	3	74	10	12	---	---	389
Ind.	---	1	182	132	17	---	---	---	12	14	---	---	---	358
Ill.-Mich. 1/	---	---	74	25	7	---	---	5	12	1	---	---	30	154
Wis.	---	1	130	129	33	---	---	4	11	22	---	---	28	358
Minn.	---	---	439	263	45	---	---	64	26	48	19	---	809	1,713
Iowa	---	2	165	374	8	---	---	9	18	8	---	---	11	595
Mo.	---	---	34	14	25	1	---	---	1	10	1	---	---	86
Nebr.	---	---	158	62	23	---	---	11	7	8	---	---	145	414
Va.	---	---	52	9	17	---	---	1	5	3	---	---	---	87
N.C.	---	26	329	41	504	5	---	8	10	30	2	---	326	1,281
Ga.	---	1	36	8	26	---	---	6	2	5	---	---	7	91
Ky.	---	---	111	63	22	---	---	7	7	10	2	---	---	222
Ark.	---	---	111	51	3	---	---	3	1	2	8	---	84	263
Okla.	---	2	622	378	217	---	---	12	1	15	14	---	1	1,329
Texas	---	66	1,712	570	421	7	---	19	16	21	---	---	---	2,832
Utah	---	1	91	93	21	---	---	6	12	3	---	---	65	293
Wash.	---	1	10	2	3	---	---	1	---	1	---	---	1	19
Calif.	---	24	4,818	5,842	3,454	49	2	156	104	221	15	---	2,578	17,263

1/ Combined to avoid disclosure of individual operations.

Fryer-Roaster Turkeys: Slaughtered under Federal Inspection, by regions and selected States, January 1961 and 1962

Region and State	Number inspected	Pounds inspected	Average live weight inspected	Total pounds certified	Post-mortem condemnations			
					Pounds (NYD)		Percent	
	1961	1962	1961	1962	1961	1962	1961	1962
N.Atl. 3/	1	1	11.00	1,000	1,000	1,000	---	---
E.N.Cent.	174	235	8.97	5	1,283	1,638	1.09	1.38
W.N.Cent.	679	560	8.55	4,607	3,761	84	1.44	1.96
S.Atl.	76	17	8.59	561	109	7	1.09	1.52
S.Cent. 3/	20	15	7.80	128	93	---	---	---
West.	31	24	8.79	144	157	5	2.20	2.64
U.S.	981	852	8.66	6,728	5,765	117	1.33	1.77
Ohio 3/	6	32	8.87	41	228	4	---	1.30
Wis.	153	194	9.35	1,137	1,337	16	1.23	1.37
Minn.	583	530	8.82	3,971	3,574	81	1.43	2.00
Iowa 4/	57	---	8.44	382	---	4	.91	---
Va.	49	16	8.69	315	102	7	2.00	1.56
Calif.	30	14	9.08	135	95	5	2.39	5.05

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, January 1962

Region and State	Tuber-: culosis	Leu-: cosis	Septi-: cemia	Airsac-: culitis	Inflam-: matory	Tumors: sites	Para-: Bruises	Cadaver: ination	Over-: scald	Decom-: position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N.Atl.	---	---	1	---	---	---	---	---	---	---	---	1
E.N.Cent.	---	3	1,033	907	174	6	39	179	15	---	218	2,810
W.N.Cent.	---	3	3,298	1,964	315	4	223	595	60	10	588	7,784
S.Atl.	---	---	75	79	5	---	1	2	1	---	---	163
S.Cent.	---	---	46	1	---	---	---	---	---	---	---	49
West.	---	3	614	42	56	1	8	3	22	---	6	755
U.S.	---	9	5,067	2,993	550	11	271	779	985	75	812	11,562
Ohio	---	---	265	5	12	---	8	10	7	1	---	308
Wis.	---	3	638	900	161	6	31	162	225	14	---	2,351
Minn.	---	2	3,241	1,948	309	4	206	583	723	60	---	7,591
Va.	---	---	75	79	5	---	1	2	1	---	---	163
Calif.	---	3	590	37	48	1	3	3	22	---	6	713

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal inspection, by regions and selected States, January 1961 and 1962

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	pounds	Percent
N. Atl. 3/	1	---	12	---	---	---	---	---	---	---
E. N. Cent.	16	17	373	276	23.31	16.24	296	218	4	1.61
W. N. Cent.	48	26	892	446	18.58	17.15	702	363	6	1.49
S. Atl. 3/	1	5	20	88	20.00	17.60	15	66	3	2.87
S. Cent. 3/	5	2	85	39	17.00	19.50	65	27	---	3.79
West.	22	26	484	624	22.00	24.00	388	499	8	---
U.S.	93	76	1,866	1,473	20.06	19.38	1,475	1,173	33	1.15
Ohio 4/	8	---	209	---	26.90	---	165	---	1	1.97
Minn.	43	26	830	441	19.18	17.17	653	359	6	.56
Va. 4/	1	---	20	---	21.11	---	15	---	---	3.20
Calif.	19	25	433	607	22.49	24.19	347	486	7	1.35
									1	1.29
									7	1.34

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, January 1962

Region and State	Tuber- culosis		Leu- cosis		Septi- cemia		Airsac- culitis		Inflam- matory		Tumors		Para- sites		Bruises		Cadaver :nation		Contam- :scauld		Over- :position		Decom- :		Other:		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.		
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	1	39	56	22	---	---	---	---	---	---	---	---	---	1	27	7	1	---	---	---	---	---	---	27	181	---	---
W. N. Cent.	---	---	156	85	25	---	---	---	---	---	---	---	---	---	8	4	4	1	---	---	---	---	---	---	---	283	---	---
S. Atl.	---	---	23	164	3	---	---	---	---	---	---	---	---	---	---	1	12	---	---	---	---	---	---	---	---	203	---	---
S. Cent.	---	2	3	---	8	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1	14	---
West.	---	1	138	47	51	1	---	---	---	---	---	---	---	---	4	2	5	---	---	---	---	---	---	---	52	301	---	---
U. S.	---	4	359	352	109	1	---	---	---	---	---	---	---	---	13	34	28	2	---	---	---	---	---	---	80	982	---	---
Minn.	---	---	150	85	25	---	---	---	---	---	---	---	---	---	8	4	4	1	---	---	---	---	---	---	---	277	---	---
Calif.	---	1	84	47	41	1	---	---	---	---	---	---	---	---	4	1	4	---	---	---	---	---	---	---	52	235	---	---

1/Average weight based on unrounded data.

2/Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/Pashes mean less than 500 head or 500 pounds.

4/Data for only 1 year published in order to avoid disclosure of individual operations.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C.

POSTAGE AND FEES PAID

OFFICIAL BUSINESS



Growth Through Agricultural Progress

Definitions -

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.